



| | | | |
|------------|-------------|-----------------|------------------------------|
| Number | 17GR0205/00 | Contract number | E001 |
| Issue date | 21-04-2018 | Scope | (EU) 2016/426 (9 March 2016) |
| Due date | 08-02-2028 | Module | B (Type testing) |
| PIN | 0063AU1408 | Report number | 120408 |

EU TYPE EXAMINATION CERTIFICATE (GAR)

Kiwa hereby declares that the gas filter, type(s):

GFK...

manufactured by

**Elster GmbH (Honeywell)
Lotte - Büren, Germany**

meet(s) the essential requirements as described in the
Regulation (EU) 2016/426 relating to appliances burning gaseous fuels.

The compliance is based on examination to EN 13611:2007+A2:2011.

The product(s) has/have been approved for all EU and EFTA countries.

A description of the specific types is given in the appendix to this certificate.

Luc Leroy, Kiwa



| | | | |
|------------|-------------|---------------|------------------------------|
| Number | 17GR0205/00 | Page | 1 of 1 |
| Issue date | 21-04-2018 | Scope | (EU) 2016/426 (9 March 2016) |
| Due date | 08-02-2028 | Module | B (Type testing) |
| PIN | 0063AU1408 | Report number | 120408 |

APPENDIX TO EU TYPE EXAMINATION CERTIFICATE (GAR)

List of all available types:

Gas filter approved on relevant clauses of EN 13611.

Type Number Survey:

| GFK | Gas Filter |
|-----|---|
| 15 | Connection size 15 |
| 20 | Connection size 20 |
| 25 | Connection size 25 |
| 32 | Connection size 32 |
| 40 | Connection size 40 |
| 50 | Connection size 50 |
| 65 | Connection size 65 |
| 80 | Connection size 80 |
| 100 | Connection size 100 |
| 125 | Connection size 125 |
| 150 | Connection size 150 |
| 200 | Connection size 200 |
| 250 | Connection size 250 |
| R | Rp thread (connection size 15, 20, 25, 32, 40, 50, 65) |
| F | DIN flanged (connection size 40, 50, 65, 80, 100, 125, 150, 200, 250) |
| N | NPT thread (connection size 15, 20, 25, 32, 40, 50, 65) |
| A | ANSI flanged (connection size 40, 50, 65, 80, 100) |
| T | T product |
| 10 | pe max. = 1 bar |
| 40 | pe max. = 4 bar |
| 60 | pe max. = 6 bar |
| -3 | Plug screw at the inlet and outlet |
| -6 | Measuring adapter at the inlet and outlet |

Special conditions:

None