# ECLIPSE TFB BURNERS

#### Precise, uniform temperatures for better process quality and longer tube life

## Unique flame profile actually scrubs fire tubes clean

Designed to fire radiant and immersion tubes with inputs from 25,000 to 2,000,000 Btu/hr., the TFB's unique nozzle creates an intense, adjustable length flame with a vigorous spinning action. The flame scrubs the inside of the fire tubes to remove the gas film boundary layer and increase heat transfer effectiveness with outstanding temperature uniformity. Not only does this contribute to longer tube life, it also ensures consistently uniform product processing.

The TFB delivers these additional benefits:

- Low NOx and low CO.
- Low excess air capability for high efficiency.
- Low air and gas pressure requirements.
- High heat transfer at low noise levels.
- Reliable ignition at a wide range of firing rates.
- Can be fitted with Eclipse Bayonet-Ultra recuperators for maximum system efficiency.

# Versatile and adaptable; easy to install operate and service

Every TFB burner offers the convenience of multi-fuel capability with

#### Radiant and Immersion Tube Firing Burners



the same nozzle for global application; either ambient or pre-heated combustion air; straight, U, W or Trident®-type tube designs. And, TFB burners are user-friendly.


- Uncomplicated installation.
- Integrated gas/air metering make set up a snap.
- Two peepsights provide clear visual access for flame verification and adjustment.

In the Eclipse tradition, long life and low maintenance are design priorities. TFB burners deliver a level of safety, operating efficiency and reliability that are second to none.



### TFB Burners

#### Ideal for indirect heating of tubes where tube temperature uniformity is at a premium.



#### TFB Burners & Bayonet-Ultra Recuperators: Impressive Individually... Unsurpassed as a Team

It's a fact: As much as 65% of the heat generated in many gas furnaces doesn't do anything but cost you money. Most of the energy from the burning fuel heats

the combustion air instead of the work load. When heat and fuel dollars sneak out through your stack, each load costs more to process than it should.

By combining Bayonet-Ultra

Recuperators with TFB Burners, you can be assured of matched-performance components that will provide your company with maximum

fuel savings and system efficiency.

Check out the chart on the right for the savings you can get at your shop.

Example: 800°F preheat from 1900°F flue gas delivers 24% fuel savings.

#### Pre-Heat Combustion Air Temperture (°F)

		400	600	700	800
Flue Gas Exit Temperature (°F)	700	8	12		
	800	8	12	14	
	900	8	13	15	17
	1000	9	13	15	17
	1100	9	14	16	18
	1200	9	14	16	19
	1300	10	15	17	19
	1400	10	15	18	20
	1500	10	16	18	21
	1600	11	16	19	21
	1700	11	17	20	22
	1800	12	18	21	23
	1900	13	19	22	24
	2000	13	20	23	26
	2100	14	21	24	27

% Fuel Saved



© Eclipse, Inc. All Rights Reserved.

Bulletin 310C 10/14