| Certificate Number Report Reference Date | UL-US-L64186-12-12705991-4 MH64186-19950721 30-Nov-2022 |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------|
| Issued to: | ELSTER GMBH Strotheweg 1, 49504 Lotte Postbox 2809 Osnabruck 49018 Germany |
| This is to certify that epresentative samples of | MFHX - Switches See Addendum Page for Product Designation(s). |
| | Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate. |
| Standard(s) for Safety: | UL 353, 5th Ed., Issue Date: 1994-09-23, Revision Date: 2011-11-08 |
| Additional Information: | See the UL Online Certifications Directory at |

See the UL Online Certifications Directory at <u>https://iq.ulprospector.com</u> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deboah Jenning - Corner Deborah Jennings-Conner, VP Regulatory Services

UL LLC

re



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-US-L64186-12-12705991-4 MH64186-19950721 30-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| C6097 followed by A or B, followed by 3, followed by a three-digit number, may be followed by other letters or | Pressure switch for use with air, LP, or natural gas |
| numbers. | |
| DG, followed by 6, 10, 50, 150, 500, may be followed by | Pressure or vacuum operated switches for |
| F, H or N, followed by T, may be followed by G, followed | use with air |
| by -2, -4, -5 or -9, followed by 1 or 2, may be followed by | 化人可以为可以可以为 |
| T2, N or K2, may be followed by other letters or numbers. | \times \times \times \times \times |
| DG followed by 6,, 10, 50, 150, 500, may be followed by | Pressure switch for use with LP or natural |
| F, H or N, followed by T, may be followed by G, followed | gas |
| by -2, -4, -5 or -9, followed by 1 or 2, may be followed by | \times \times \times \times \times |
| T2, N or K2, may be followed by other letters or | n Vit. Vit. Vit. Vit. V |
| numbers. | |
| DL, , followed by 3, 3.5, 4.5, 5, 6, 8, 10, 11, 16, 24, 40, | Switches |
| 50, 150, 500, followed by A, AL, AH, AN, K, KH or KN, followed by T, may be followed by G, may be followed by | |
| -2, -3, -5 or -9 may be followed by T2, N or K2, may be | Ur X(Ur X(Ur X(Ur X(Ur X) |
| followed by 1 or 2, may be followed by A, may be | |
| followed by W, may be followed by other letters or numbers. | |

Olbrah Jenning-Corne Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number UL-CA-L6 Report Reference MH64186 Date 30-Nov-2

UL-CA-L64186-22-12705991-3 MH64186-19950721 30-Nov-2022

Issued to: ELSTER GMBH Strotheweg 1, 49504 Lotte Postbox 2809 Osnabruck 49018 Germany

This is to certify that representative samples of

MFHX7 - Switches Certified for Canada See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

| Standard(s) for Safety: | CSA C22.2 NO. 24-15, 9th Ed., Issue Date: 2015-01-01 |
|-------------------------|---------------------------------------------------------------------------------------------------------|
| Additional Information: | See the UL Online Certifications Directory at https://ig.ulprospector.com for additional information |

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Oeboah Jennings-Course Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-CA-L64186-22-12705991-3 MH64186-19950721 30-Nov-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

| Model | Category Description |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| C6097 followed by A or B, followed by 3, followed by a three-digit number, may be followed by other letters or numbers. | Pressure switch for use with air, LP, or natural gas |
| DG, followed by 6, 10, 50, 150, 500, may be followed by F, H or N, followed by T, may be followed by G, followed by -2, -4, -5 or -9, followed by 1 or 2, may be followed by T2, N or K2, may be followed by other letters or numbers, | Pressure or vacuum operated switches for use with air |
| DG followed by 6,, 10, 50, 150, 500, may be followed by F, H or N, followed by T, may be followed by G, followed by -2, -4, -5 or -9, followed by 1 or 2, may be followed by T2, N or K2, may be followed by other letters or numbers. | Pressure switch for use with LP or natural gas |
| DL, , followed by 3, 3.5, 4.5, 5, 6, 8, 10, 11, 16, 24, 40, 50, 150, 500, followed by A, AL, AH, AN, K, KH or KN, followed by T, may be followed by G, may be followed by -2, -3, -5 or -9 may be followed by T2, N or K2, may be followed by 1 or 2, may be followed by A, may be followed by W, may be followed by other letters or numbers. | Switches |

Olbrah Jenning-Corne Deborah Jennings-Conner, VP Regulatory Services





Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/