

## WRASP Spares List

Contact Eclipse for Ordering Information

### WRASP-DI (300-500mm) MODEL

Part Number/Description
-------------------------

<b>10021756</b>
-----------------

1 1/4" Impulse Adjusting Valve
--------------------------------

<b>10025068</b>
-----------------

Ring Gasket
-------------

<b>10025790</b>
-----------------

Slimline Water Cooled Sealing Ring
------------------------------------

<b>10025879</b>
-----------------

Water Cooled Insert
---------------------

<b>10029501</b>
-----------------

Pivot Ring Assembly (for LD mounting bracket only)
--

<b>10036705</b>
-----------------

Digital Handwheel
-------------------

<b>10024380-020</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 20mm Bore
--

<b>10024380-025</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 25mm Bore
--

<b>10024380-030</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 30mm Bore
--

<b>10024380-035</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 35mm Bore
--

<b>10024380-040</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 40mm Bore
--

<b>10024380-045</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 45mm Bore
--

<b>10024380-050</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 50mm Bore
--

<b>10024380-055</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 55mm Bore
--

<b>10024380-060</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 60mm Bore
--

<b>10024380-065</b>
---------------------

Nozzle, Gas, WRASP-DI, 446SST, 65mm Bore
--

<b>10024384-010</b>
---------------------

Nozzle, Gas, WRASP-DI, Impulse, 446 SST, 10 mm bore
---

<b>10024384-012</b>
---------------------

Nozzle, Gas, WRASP-DI, Impulse, 446 SST, 12 mm bore
---

**10024384-015**

Nozzle, Gas, WRASP-DI, Impulse, 446 SST, 15 mm bore

**10024384-018**

Nozzle, Gas, WRASP-DI, Impulse, 446 SST, 18 mm bore

**10024384-020**

Nozzle, Gas, WRASP-DI, Impulse, 446 SST, 20 mm bore

**10025187-050**

Restrictor, Gas, 5mm, WRASP-DI

**10025187-055**

Restrictor, Gas, 5.5mm, WRASP-DI

**10025187-060**

Restrictor, Gas, 6mm, WRASP-DI

**10025187-065**

Restrictor, Gas, 6.5mm, WRASP-DI

**10025187-070**

Restrictor, Gas, 7mm, WRASP-DI

**10025187-075**

Restrictor, Gas, 7.5mm, WRASP-DI

**10025187-080**

Restrictor, Gas, 8mm, WRASP-DI

**10025187-085**

Restrictor, Gas, 8.5mm, WRASP-DI

**10025187-090**

Restrictor, Gas, 9mm, WRASP-DI

**10025187-095**

Restrictor, Gas, 9.5mm, WRASP-DI

**10025187-100**

Restrictor, Gas, 10mm, WRASP-DI

**10025187-105**

Restrictor, Gas, 10.5mm, WRASP-DI

**10025187-110**

Restrictor, Gas, 11mm, WRASP-DI

**10025187-115**

Restrictor, Gas, 11.5mm, WRASP-DI

**10025187-120**

Restrictor, Gas, 12mm, WRASP-DI

**10025187-125**

Restrictor, Gas, 12.5mm, WRASP-DI

**10025187-130**

Restrictor, Gas, 13mm, WRASP-DI

**10025187-135**

Restrictor, Gas, 13.5mm, WRASP-DI

**10025187-140**

Restrictor, Gas, 14mm, WRASP-DI

**10025187-145**

Restrictor, Gas, 14.5mm, WRASP-DI

---

**10025187-150**

Restrictor, Gas, 15mm, WRASP-DI

---

**10025187-155**

Restrictor, Gas, 15.5mm, WRASP-DI

---

**10025187-160**

Restrictor, Gas, 16mm, WRASP-DI

---

**10025187-165**

Restrictor, Gas, 16.5mm, WRASP-DI

---

**10025187-170**

Restrictor, Gas, 17mm, WRASP-DI

---

**10025187-175**

Restrictor, Gas, 17.5mm, WRASP-DI

---

**10025187-180**

Restrictor, Mild Steel, 18.0 mm Bore

---

**10025187-185**

Restrictor, Mild Steel, 18.5 mm Bore

---

**10025187-190**

Restrictor, Mild Steel, 19.0 mm Bore

---

**10025187-195**

Restrictor, Mild Steel, 19.5 mm Bore

---

**10025187-200**

Restrictor, Mild Steel, 20.0 mm Bore

---

**10025187-205**

Restrictor, Mild Steel, 20.5 mm Bore

---

**10025187-210**

Restrictor, Mild Steel, 21.0 mm Bore

---

**10025187-215**

Restrictor, Mild Steel, 21.5 mm Bore

---

**10025187-220**

Restrictor, Mild Steel, 22.0 mm Bore

---

**10025187-225**

Restrictor, Mild Steel, 22.5 mm Bore

---

**10025187-230**

Restrictor, Mild Steel, 23.0 mm Bore

---

**10025187-235**

Restrictor, Mild Steel, 23.5 mm Bore

---

**10025187-240**

Restrictor, Mild Steel, 24.0 mm Bore

---

**10025187-245**

Restrictor, Mild Steel, 24.5 mm Bore

---

**10025187-250**

Restrictor, Mild Steel, 25.0 mm Bore

---

**5472A5**

Wrench, Spanner, 2 X 4-3/4

---

**NSBT8N**

Compound, Anti-Seize, Never Seez, NSBT-8N, 8 Oz.