

## GT/NG Spares List

Contact Eclipse for Ordering Information

Burner Model/Part Number/Description
<b>GT/NG50-DI</b>
<b>10022646</b>
Sealing Ring Air Hose - 1" x 60"
<b>10032852</b>
Flex Hose Gasket
<b>10032853</b>
Restrictor Gasket
<b>10034629</b>
446 SST GT/NG-50 Air Cooled Sealing Ring
<b>10036705</b>
Digital Handwheel
<b>10036780</b>
Impulse Flow Valve
<b>10032962-080</b>
Restrictor - 8.0 mm Equivalent Diameter
<b>10032962-085</b>
Restrictor - 8.5 mm Equivalent Diameter
<b>10032962-090</b>
Restrictor - 9.0 mm Equivalent Diameter
<b>10032962-095</b>
Restrictor - 9.5 mm Equivalent Diameter
<b>10032962-100</b>
Restrictor - 10.0 mm Equivalent Diameter
<b>10032962-105</b>
Restrictor - 10.5 mm Equivalent Diameter
<b>10032962-110</b>
Restrictor - 11.0 mm Equivalent Diameter
<b>10032962-115</b>
Restrictor - 11.5 mm Equivalent Diameter
<b>10032962-120</b>
Restrictor - 12.0 mm Equivalent Diameter
<b>10032962-125</b>
Restrictor - 12.5 mm Equivalent Diameter
<b>10032962-130</b>
Restrictor - 13.0 mm Equivalent Diameter
<b>10032962-135</b>

Restrictor - 13.5 mm Equivalent Diameter
<b>10032962-140</b>
Restrictor - 14.0 mm Equivalent Diameter
<b>10032962-145</b>
Restrictor - 14.5 mm Equivalent Diameter
<b>10032962-150</b>
Restrictor - 15.0 mm Equivalent Diameter
<b>10032962-155</b>
Restrictor - 15.5 mm Equivalent Diameter
<b>10032962-160</b>
Restrictor - 16.0 mm Equivalent Diameter
<b>10032962-165</b>
Restrictor - 16.5 mm Equivalent Diameter
<b>10032962-170</b>
Restrictor - 17.0 mm Equivalent Diameter
<b>10032962-175</b>
Restrictor - 17.5 mm Equivalent Diameter
<b>10032962-180</b>
Restrictor - 18.0 mm Equivalent Diameter
<b>10032962-185</b>
Restrictor - 18.5 mm Equivalent Diameter
<b>10032962-190</b>
Restrictor - 19.0 mm Equivalent Diameter
<b>10032962-195</b>
Restrictor - 19.5 mm Equivalent Diameter
<b>10032962-200</b>
Restrictor - 20.0 mm Equivalent Diameter
<b>10032962-205</b>
Restrictor - 20.5 mm Equivalent Diameter
<b>10032962-210</b>
Restrictor - 21.0 mm Equivalent Diameter
<b>10032962-215</b>
Restrictor - 21.5 mm Equivalent Diameter
<b>10032962-220</b>
Restrictor - 22.0 mm Equivalent Diameter
<b>10032962-225</b>
Restrictor - 22.5 mm Equivalent Diameter
<b>10032962-230</b>
Restrictor - 23.0 mm Equivalent Diameter
<b>10032962-235</b>
Restrictor - 23.5 mm Equivalent Diameter
<b>10032962-240</b>
Restrictor - 24.0 mm Equivalent Diameter
<b>10032962-245</b>
Restrictor - 24.5 mm Equivalent Diameter

<b>10032962-250</b>
Restrictor - 25.0 mm Equivalent Diameter
<b>10033086-200</b>
Main Nozzle - 20.0 mm Bore, 446 Stainless Steel
<b>10033086-225</b>
Main Nozzle - 22.5 mm Bore, 446 Stainless Steel
<b>10033086-230</b>
Main Nozzle - 23.0 mm Bore, 446 Stainless Steel
<b>10033086-250</b>
Main Nozzle - 25.0 mm Bore, 446 Stainless Steel
<b>10033086-275</b>
Main Nozzle - 27.5 mm Bore, 446 Stainless Steel
<b>10033086-300</b>
Main Nozzle - 30.0 mm Bore, 446 Stainless Steel
<b>10033086-325</b>
Main Nozzle - 32.5 mm Bore, 446 Stainless Steel
<b>10033086-350</b>
Main Nozzle - 35.0 mm Bore, 446 Stainless Steel
<b>10033086-375</b>
Main Nozzle - 37.5 mm Bore, 446 Stainless Steel
<b>10033086-400</b>
Main Nozzle - 40.0 mm Bore, 446 Stainless Steel
<b>10033086-425</b>
Main Nozzle - 42.5 mm Bore, 446 Stainless Steel
<b>10033086-450</b>
Main Nozzle - 45.0 mm Bore, 446 Stainless Steel
<b>10033086-475</b>
Main Nozzle - 47.5 mm Bore, 446 Stainless Steel
<b>10034464-010</b>
Impulse Nozzle - 10.0 mm Bore, 446 Stainless Steel
<b>10034464-012</b>
Impulse Nozzle - 12.0 mm Bore, 446 Stainless Steel
<b>10034464-015</b>
Impulse Nozzle - 15.0 mm Bore, 446 Stainless Steel
<b>10034464-018</b>
Impulse Nozzle - 18.0 mm Bore, 446 Stainless Steel
<b>GT/NG80-DI</b>
<b>10022470</b>
Main Nozzle - 40.0 mm Bore, 446 Stainless Steel
<b>10022478</b>
Main Nozzle - 42.5 mm Bore, 446 Stainless Steel
<b>10022479</b>
Main Nozzle - 45.0 mm Bore, 446 Stainless Steel
<b>10022480</b>
Main Nozzle - 47.5 mm Bore, 446 Stainless Steel

<b>10022481</b>
Main Nozzle - 50.0 mm Bore, 446 Stainless Steel
<b>10022482</b>
Main Nozzle - 52.5 mm Bore, 446 Stainless Steel
<b>10022483</b>
Main Nozzle - 55.0 mm Bore, 446 Stainless Steel
<b>10022484</b>
Main Nozzle - 57.5 mm Bore, 446 Stainless Steel
<b>10022485</b>
Main Nozzle - 60.0 mm Bore, 446 Stainless Steel
<b>10022486</b>
Main Nozzle - 62.5 mm Bore, 446 Stainless Steel
<b>10022487</b>
Main Nozzle - 65.0 mm Bore, 446 Stainless Steel
<b>10022488</b>
Main Nozzle - 67.5 mm Bore, 446 Stainless Steel
<b>10022489</b>
Main Nozzle - 70.0 mm Bore, 446 Stainless Steel
<b>10022646</b>
Sealing Ring Air Hose - 1" x 60"
<b>10032852</b>
Flex Hose Gasket
<b>10034342</b>
Restrictor Gasket
<b>10034452</b>
Main Gas Baffle (18" Radius Only), 446 Stainless Steel
<b>10034626</b>
446 SST GT/NG-80 Air Cooled Sealing Ring
<b>10036705</b>
Digital Handwheel
<b>10036780</b>
Impulse Flow Valve
<b>10034236-100</b>
Restrictor - 10.0 mm Equivalent Diameter
<b>10034236-105</b>
Restrictor - 10.5 mm Equivalent Diameter
<b>10034236-110</b>
Restrictor - 11.0 mm Equivalent Diameter
<b>10034236-115</b>
Restrictor - 11.5 mm Equivalent Diameter
<b>10034236-120</b>
Restrictor - 12.0 mm Equivalent Diameter
<b>10034236-125</b>
Restrictor - 12.5 mm Equivalent Diameter
<b>10034236-130</b>

Restrictor - 13.0 mm Equivalent Diameter
<b>10034236-135</b>
Restrictor - 13.5 mm Equivalent Diameter
<b>10034236-140</b>
Restrictor - 14.0 mm Equivalent Diameter
<b>10034236-145</b>
Restrictor - 14.5 mm Equivalent Diameter
<b>10034236-150</b>
Restrictor - 15.0 mm Equivalent Diameter
<b>10034236-155</b>
Restrictor - 15.5 mm Equivalent Diameter
<b>10034236-160</b>
Restrictor - 16.0 mm Equivalent Diameter
<b>10034236-165</b>
Restrictor - 16.5 mm Equivalent Diameter
<b>10034236-170</b>
Restrictor - 17.0 mm Equivalent Diameter
<b>10034236-175</b>
Restrictor - 17.5 mm Equivalent Diameter
<b>10034236-180</b>
Restrictor - 18.0 mm Equivalent Diameter
<b>10034236-185</b>
Restrictor - 18.5 mm Equivalent Diameter
<b>10034236-190</b>
Restrictor - 19.0 mm Equivalent Diameter
<b>10034236-195</b>
Restrictor - 19.5 mm Equivalent Diameter
<b>10034236-200</b>
Restrictor - 20.0 mm Equivalent Diameter
<b>10034236-205</b>
Restrictor - 20.5 mm Equivalent Diameter
<b>10034236-210</b>
Restrictor - 21.0 mm Equivalent Diameter
<b>10034236-215</b>
Restrictor - 21.5 mm Equivalent Diameter
<b>10034236-220</b>
Restrictor - 22.0 mm Equivalent Diameter
<b>10034236-225</b>
Restrictor - 22.5 mm Equivalent Diameter
<b>10034236-230</b>
Restrictor - 23.0 mm Equivalent Diameter
<b>10034236-235</b>
Restrictor - 23.5 mm Equivalent Diameter
<b>10034236-240</b>
Restrictor - 24.0 mm Equivalent Diameter

<b>10034236-245</b>
Restrictor - 24.5 mm Equivalent Diameter
<b>10034236-250</b>
Restrictor - 25.0 mm Equivalent Diameter
<b>10034449-010</b>
Impulse Nozzle - 10.0 mm Bore, 446 Stainless Steel
<b>10034449-012</b>
Impulse Nozzle - 12.0 mm Bore, 446 Stainless Steel
<b>10034449-015</b>
Impulse Nozzle - 15.0 mm Bore, 446 Stainless Steel
<b>10034449-018</b>
Impulse Nozzle - 18.0 mm Bore, 446 Stainless Steel