



Number:	UKCA/0558/22/058	Replaces:	17GR0197/00
Issue Date:	04-02-2022	Contract Number:	PS7133
Due Date:	04-02-2032	Module:	B (Type Testing)
Report Number:	126153	Scope:	Gas Appliances
PIN:	0063CO1153	Page	1 of 3

UKCA TYPE EXAMINATION CERTIFICATE

Kiwa Ltd. hereby declares that the model type(s)

VFC

Manufactured by **Elster GmbH (Honeywell)**
Lotte - Büren, Germany

Meet(s) the essential requirements as described in the:

Gas Appliances Regulation (Regulation (EU) 2016/426 as brought into GB law and amended), and the Gas Appliances (Enforcement) and Miscellaneous Amendment Regulations 2018 No 389, and amendments to UK SI 2019/696 Product Safety and Metrology, and subsequent amendments, The Product Safety, Metrology and Mutual Recognition Agreement (Amendment) (EU Exit) Regulations 2019 No 1246, and subsequent amendments. This certificate is not valid in Northern Ireland – and is applicable to England, Scotland and Wales only.

Reference standards: BS EN 13611:2015

Signed on behalf of Kiwa Ltd.
(UK Approved Body Number 0558)

Mark Crowther
Technical Director
Kiwa Ltd.

39017601

CERTIFICATE

Kiwa Gastec
Kiwa House
Malvern View Business Park
Stella Way
Bishops Cleeve
Cheltenham
GL52 7DQ
United Kingdom
T +44 (0)1242 677877
F +44 (0)1242 676506
www.kiwa.co.uk

UK CA



0217



Number:	UKCA/0558/22/058	Replaces:	17GR0197/00
Issue Date:	04-02-2022	Contract Number:	PS7133
Due Date:	04-02-2032	Module:	B (Type Testing)
Report Number:	126153	Scope:	Gas Appliances
PIN:	0063CO1153	Page	2 of 3

APPENDIX TO UKCA TYPE EXAMINATION CERTIFICATE

List of all available types:

VFC : valVario flow control

1 : body type 1
3 : body type 3

10 : inlet connection DN10
15 : inlet connection DN15
20 : inlet connection DN20
25 : inlet connection DN25
40 : inlet connection DN40
50 : inlet connection DN50
65 : inlet connection DN65
- : inlet connection without flange

10 : outlet connection DN10
15 : outlet connection DN15
20 : outlet connection DN20
25 : outlet connection DN25
40 : inlet connection DN40
50 : inlet connection DN50
65 : inlet connection DN65
- : outlet connection without flange

R* : connection Rp (ISO7)
N* : connection NPT-threaded
F* : connection DIN-flanged (ISO 7005)
05 : pu max. 500mbar

-08 : flow cylinder size
-15 : flow cylinder size
-20 : flow cylinder size
-25 : flow cylinder size
-32 : flow cylinder size
-40 : flow cylinder size

L : nonstandard cylinder



Number:	UKCA/0558/22/058	Replaces:	17GR0197/00
Issue Date:	02-04-2022	Contract Number:	PS7133
Due Date:	02-04-2032	Module:	B (Type Testing)
Report Number:	126153	Scope:	Gas Appliances
PIN:	0063CO1153	Page	3 of 3

APPENDIX TO UKCA TYPE EXAMINATION CERTIFICATE

P	: screw plug	Accessories, right, inlet
M	: pressure test point	
1	: DG 17	
2	: DG 40	
3	: DG 110	
4	: DG300	
-	: none	

P	: screw plug	Accessories, right, outlet
M	: pressure test point	
1	: DG 17	
2	: DG 40	
3	: DG 110	
4	: DG300	
-	: none	

Z001 : customer version (steady rising no.)

Accessories on left-hand side equivalent to those on right-hand side
*excluded if not applicable