

Customer: _____ PO Number: _____ Date: _____

| Features | | Configuration (Standards are marked in bold) | |
|-------------------|---|---|--|
| Base Meter | Version | <input type="checkbox"/> RABO (as G16-G40 DN32-DN150) <input type="checkbox"/> RABO-CT Compact Thread (as G10-G40 DN25-DN50) <input type="checkbox"/> RABO-CF Compact Flange (as G10-G40 DN25-DN50) | |
| | Body Material | <input type="checkbox"/> Aluminum (as G10-G40 DN25-DN150) <input type="checkbox"/> Cast iron only RABO (as G16-G250 DN32-DN100) | |
| | Maintenance | <input type="checkbox"/> Oil (as G10-G400) <input type="checkbox"/> Maintenance free (as RABO-CT/CF and RABO up to G100) | |
| | Meter size | <input type="checkbox"/> G10 (only RABO-CT/CF) <input type="checkbox"/> G65 <input type="checkbox"/> 3.5M <input type="checkbox"/> G16 <input type="checkbox"/> G100 <input type="checkbox"/> 5.5M <input type="checkbox"/> G25 <input type="checkbox"/> G160 <input type="checkbox"/> 9 M <input type="checkbox"/> G40 <input type="checkbox"/> G250 <input type="checkbox"/> 14M <input type="checkbox"/> G400 (only Alumin. body) <input type="checkbox"/> 23M (only Alumin. body) | |
| | Meter unit | <input type="checkbox"/> m³ <input type="checkbox"/> ft ³ (only with factory certification) | |
| | Housing type in Aluminium | <input type="checkbox"/> Extruded (as Standard for RABO G16-G400) <input type="checkbox"/> Pot (as Special for RABO G16-G65) | |
| | Nominal diameter | <input type="checkbox"/> DN25 (only RABO-CT/CF, as G10-G25) <input type="checkbox"/> DN32 (as G10-G65) <input type="checkbox"/> DN40 (as G10-G65) <input type="checkbox"/> DN50 (as G10-G100) <input type="checkbox"/> DN80 (only RABO, as G100-G250) <input type="checkbox"/> DN100 (only RABO, as G160-G400) <input type="checkbox"/> DN150 (only RABO, as G400) | |
| | Pressure class | <input type="checkbox"/> PN10/PN16 <input type="checkbox"/> ANSI150 | |
| | Face-to-face length | <input type="checkbox"/> 121mm (as RABO-CT) <input type="checkbox"/> 150mm (as RABO body cast iron G16-G65) <input type="checkbox"/> 171mm (as RABO-CF and RABO G16-G100) <input type="checkbox"/> 241mm (as RABO G160-G400) | |
| Testing | Calibration / Testing | <input type="checkbox"/> MID 2014/32/EU <input type="checkbox"/> Factory checked | |
| | Language Certificate | <input type="checkbox"/> No test certificates <input type="checkbox"/> German <input type="checkbox"/> English <input type="checkbox"/> French <input type="checkbox"/> Slovak | |
| | Measuring range (Attention: selection according data sheets) | <input type="checkbox"/> 1:200 <input type="checkbox"/> 1:160 <input type="checkbox"/> 1:130 <input type="checkbox"/> 1:100 <input type="checkbox"/> 1:80 <input type="checkbox"/> 1:65 <input type="checkbox"/> 1:50 <input type="checkbox"/> 1:30 <input type="checkbox"/> 1:20 | |

Please send filled sheet together with your order to:
 Elster GmbH • Steinern Straße 19-21 • D-55252 Mainz-Kastel • Email: gas-mainz-orders@honeywell.com

| | | |
|------------------------------------|---------------------|--|
| Installation | Flow direction | <input type="checkbox"/> Left ➔ Right <input type="checkbox"/> Right ➔ Left (Totalizer head S1D or S1D Encoder) <input type="checkbox"/> Top ➔ Down <input type="checkbox"/> Bottom ➔ Up (Totalizer head S1D or S1D Encoder) |
| Installation | Mounting of EVC | <input type="checkbox"/> No <input type="checkbox"/> EK 205 <input type="checkbox"/> EK 220 <input type="checkbox"/> EK 280 <input type="checkbox"/> EC 350 (only Rabo) <input type="checkbox"/> TCI (only Rabo) |
| | Type of connection | <input type="checkbox"/> No <input type="checkbox"/> Pipe with 2-way valve <input type="checkbox"/> Flexible tube with 2-way valve <input type="checkbox"/> Pipe with 3-way valve <input type="checkbox"/> Flexible tube with 3-way valve <input type="checkbox"/> Pipe <input type="checkbox"/> Flexible tube |
| Counter | Totalizer Variant | <input type="checkbox"/> No totalizer head <input type="checkbox"/> S1 <input type="checkbox"/> S1D <input type="checkbox"/> S1V <input type="checkbox"/> S1D-Encoder <input type="checkbox"/> MI-2 bevel reading 45° <input type="checkbox"/> MI-2 vertical reading 90° <input type="checkbox"/> MI-2 Double head dry cartridge <input type="checkbox"/> MI-2 Double head vented <input type="checkbox"/> MI-2 Instrument Drive <input type="checkbox"/> S1VR <input type="checkbox"/> S1VR3 <input type="checkbox"/> S1DR <input type="checkbox"/> S1DR3 <input type="checkbox"/> S2 |
| LF-Output | LF-pulse output | <input type="checkbox"/> None <input type="checkbox"/> INS-10 <input type="checkbox"/> INS-11 <input type="checkbox"/> INS-12 <input type="checkbox"/> INS-15 <input type="checkbox"/> INS-16 <input type="checkbox"/> IN-W10 <input type="checkbox"/> IN-W11 <input type="checkbox"/> Other, please specify: _____ |
| Accessories / Miscellaneous | Oil sight glass | <input type="checkbox"/> No <input type="checkbox"/> Yes (not available for maintenance free option) |
| | Optical Pulser | <input type="checkbox"/> No <input type="checkbox"/> Yes (not available for cast iron and RABO compact) |
| | HF-Pulse output A1K | <input type="checkbox"/> No <input type="checkbox"/> Yes |

Please send filled sheet together with your order to:
 Elster GmbH • Steinern Straße 19-21 • D-55252 Mainz-Kastel • Email: gas-mainz-orders@honeywell.com

| | |
|-----------------------|---|
| Thermowell | <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 |
| Pressure tap | <input type="checkbox"/> none (plugged) <input type="checkbox"/> Standard (Voss) <input type="checkbox"/> Swagelok <input type="checkbox"/> Pete's plug |
| Sealing of case cover | <input type="checkbox"/> adhesive seal <input type="checkbox"/> seal wire |
| Sealing of oil screws | <input type="checkbox"/> No <input type="checkbox"/> Yes |
| Cone sieve | <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 |
| Flat sieve | <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 |

Project / Customer reference / Comments / Special requests

Customer, Address: _____

Contact person: _____

Tel.: _____ E-Mail: _____